OCONTRA COSTA COUNTY FIRE PROTECTION DISTRICT ADVISORY FIRE COMMISSION

Meeting Location: 4005 Port Chicago Highway, Suite 250, Concord, (925) 941-3300

Join by Computer: Link to join is on our website – www.cccfpd.org

Join by Phone: Dial: (253) 215-8782 / Meeting ID: 823 0402 3900 / Passcode: 828261

AGENDA

MONDAY October 9, 2023 7:00 PM

- I. Call to Order
- II. Pledge of Allegiance
- III. Roll Call
- IV. Public Comments Period (non-Agenda items) Three-minute time limit per comment.
- V. Public Hearings
 - A. Report on the Cost of Abatement
 - B. Hearing on Abatement Orders
- VI. Consent Items
 - A. Approval of August 14, 2023 Meeting Minutes
 - B. Approval of September 11, 2023 Meeting Minutes
 - C. Accept and File Reports
 - 1. Personnel Report
 - 2. Fire Prevention Reports
 - 3. Monthly Activity Reports
 - 4. Suppression Leave Summary
 - 5. Correspondence

Assistance for Persons with Disabilities: The Contra Costa County Fire Protection District Advisory Fire Commission (CCCFPD/AFC) will provide reasonable accommodations for persons with disabilities planning to attend CCCFPD/AFC meetings who contact the Executive Secretary at least 24 hours before the meeting at (925) 941-3300, extension 1200.

Any disclosable public records related to an open session item on a regular meeting agenda and distributed by Fire District staff to a majority of members of the CCCFPD/AFC less than 72 hours prior to that meeting are available for public inspection at 4005 Port Chicago Highway, Suite 250, Concord, CA 94520 during normal business hours.

- VII. Discussion Items
 - A. Declaration of Surplus Equipment Report of October 2, 2023
- VIII. Fire Chief's Report
- IX. Commissioners' Comments / Items for Future Agendas
- X. Next Regular Meeting Date and Time December 11, 2023, 7:00 p.m.

Assistance for Persons with Disabilities: The Contra Costa County Fire Protection District Advisory Fire Commission (CCCFPDAFC) will provide reasonable accommodations for persons with disabilities planning to attend CCCFPDAFC meetings who contact the Executive Secretary at least 24 hours before the meeting at (925) 941-3300, extension 1200.

Any disclosable public records related to an open session item on a regular meeting agenda and distributed by Fire District staff to a majority of members of the CCCFPDAFC less than 72 hours prior to that meeting are available for public inspection at 4005 Port Chicago Highway, Suite 250, Concord, CA 94520 during normal business hours.



CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT

October 4, 2023

REPORT ON THE COST OF ABATEMENT

This report is filed in compliance with Section 14906, as modified by Section 13867 of the Health & Safety Code, and is an account of the cost of abatement on or adjacent to each separate parcel of land to be submitted to the County Auditor's Office for assessment against the respective parcels.

This account is hereby posted on the fourth day of October 2023, on the District Administration door, 4005 Port Chicago Highway, Suite 250, Concord, CA and Station 69, 4640 Appian Way, El Sobrante, CA.

This report will be submitted to the Commission for confirmation at the Advisory Fire Commission meeting to be held on the ninth day of October 2023 at 7:00 p.m.

By:

Christopher Bachman

Assistant Fire Chief/Fire Marshal

and:

Latonia Ellingberg

Secretary to the

Advisory Fire Commission



CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT

October 4, 2023

TO:

Chair, Advisory Fire Commission

FROM:

Fire Chief Lewis T. Broschard III

SUBJECT: Hearing of Abatement Report

In accordance with requirements of the California State Health and Safety Code, the Advisory Fire Commission shall hold a hearing to confirm the charges of the 2023 Abatement Report so that these charges may be placed on the 2024-2025 tax roll. The total amount of this list is \$62.628.82.

The attached report is an itemized accounting of abatement costs incurred by this District for weed abatement and/or rubbish removal of the listed parcels, as provided for by State statutes and local ordinance.

- 1. The Commission Chair to open hearing in the matter of receiving and considering the 2023 Abatement Report on abatement costs incurred by the Fire District.
- 2. Upon hearing objections or protests, if any, by property owners, the Commission may overrule any or all objections or modify the Report as the Commission deems necessary.
- 3. Upon conclusion of the hearing, a Commission member should make a motion to "Move that the Commission adopt the 'Resolution of confirm the Report: Confirmation' confirming the Abatement Report."
- 4. An additional motion is necessary to allow adjustment or removal of charges without additional hearings: "Move that the Commission does hereby order the District staff to adjust or modify any charges found to be incorrect because the charge was entered:
 - more than once, a)
 - through clerical error, b)
 - through the error or mistake of a material fact, or c)
 - d) illegally."

LB/km

T:weeds\2023_09_OCTMTG

CONTRA COSTA COUNTY . FIRE PROTECTION DISTRICT ABATEMENT REPORT ON CHARGES FOR 2023 PRIOR TO October 9, 2023 9/29/2023

Exhibit "A"

| PARCEL # | OWNER | Site Address | City | CHARGES |
|-------------|--|--------------------|---------------|-------------|
| 029-050-006 | NOORI ZABAIRULLAH | 3185 GATEWAY RD | BETHEL ISLAND | \$6,600.00 |
| 032-280-009 | MARTINEZ URIEL G | SANDMOUND BLVD | OAKLEY | \$4,599.50 |
| 119-321-010 | TYRYFTER JOAN | 45 PETAR CT | CLAYTON | \$902.00 |
| 127-013-020 | PLEASANT HILL DEV CO | ELLINWOOD WAY | PLEASANT HILL | \$1,925.00 |
| 127-013-024 | BILLINGS MAXINE L | ELLINWOOD WAY | PLEASANT HILL | \$1,245.00 |
| 127-025-022 | BILLINGS MAXINE L | SANTA MONICA DR | PLEASANT HILL | \$735.00 |
| 154-190-039 | CX INVESTMENT GROUP LLC | 800 GOLF CLUB CIR | PLEASANT HILL | \$1,245.00 |
| 154-680-008 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$1,075.00 |
| 154-680-009 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$1,075.00 |
| 154-680-010 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$1,500.00 |
| 154-680-011 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$1,500.00 |
| 154-680-012 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$735.00 |
| 154-680-013 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$1,075.00 |
| 154-680-014 | SANCERRE PARTNERS INC | SANCERRE CT | PLEASANT HILL | \$1,925.00 |
| 161-080-044 | COMMON AREA-TRACT 7230 | HILLER LN | MARTINEZ | \$2,775.00 |
| 161-080-045 | COMMON AREA-TRACT 7230 | HILLER LN | MARTINEZ | \$862.50 |
| 164-311-018 | WESTERN AMERICAN DEVELOPMENT | RELIEZ VALLEY RD | MARTINEZ | \$1,925.00 |
| 232-071-019 | CHING ERIC WILLIAM B CHING THUY-TRANG NGUYEN | 1051 BROWN AVE | LAFAYETTE | \$650.00 |
| 251-100-003 | BICKERDIKE MARY | 4041 MARIANNE DR | LAFAYETTE | \$4,763.10 |
| 366-150-034 | FIRST CLASS FINANCIAL GROUP | 318 CHRISTIE DR | MARTINEZ | \$7,875.00 |
| 366-150-035 | FIRST CLASS FINANCIAL GROUP | 342 CHRISTIE DR | MARTINEZ | \$2,435.00 |
| 367-070-004 | LASHER ERIC | ALHAMBRA VALLEY RD | MARTINEZ | \$1,794.50 |
| 370-102-006 | TROYS CONTRACTING | ST MARYS ST | MARTINEZ | \$862.50 |
| 370-102-007 | HENDERSON ARTHUR DAVID | ST MARYS ST | MARTINEZ | \$862.50 |
| 370-110-006 | MARIETTI CHARLES | ST MARYS ST | MARTINEZ | \$1,330.00 |
| 370-110-007 | MARIETTI CHARLES | ST MARYS ST | MARTINEZ | \$1,500.00 |
| 372-154-009 | JAQUES WILLIAM & MAY | W PARK ST | MARTINEZ | \$1,699.84 |
| 372-154-012 | SUNNYSIDE TERRACE ESTATES | W PARK ST | MARTINEZ | \$1,245.00 |
| 372-155-008 | COPHER JOSHUA D & KRISTIN D | WARREN ST | MARTINEZ | \$650.00 |
| 430-020-008 | BERNAL ROBERTO | SKYLINE DR | EL SOBRANTE | \$1,774.94 |
| 433-250-006 | COREY KATHY ANN TRE | 6151 HILLSIDE DR | EL SOBRANTE | \$1,987.44 |
| 433-290-005 | FOLEY GABRIEL & DIANE | 7 ABBIE LANE | EL SOBRANTE | \$1,500.00 |
| COUNT:32 | | | TOTAL | \$62,628.82 |

ABATEMENT WORK ORDER



Date: 8/10/2023

Surveyor: DeMaria, Christy

| APN: <u>029-050-006</u> | | | |
|-----------------------------------|---------------------------------|------------------------------|--------------------------|
| Address: 3185 GATEWAY RD. E | BETHEL ISLAND | | |
| Parcel Size: 109,989 sqft. | Abate: 109,989 sqft. | Туре | : TEC HBC |
| Instructions: Abate parcel to aba | tement standards. To include al | patement of all weeds to 3 | 3 inches or less, |
| removal of mowed material; han | d mow along fence lines. | | |
| Owner: Noori Zabairullah | | | |
| Address: ☑ Good ☐ Not Go | od Phone | e Number: | |
| Taxes: ☐Paid ☑ Unpaid | | | |
| Previous Work Order(s): | | | |
| | | | |
| Cert Card Received: Date: | No: <u>X</u> as of: <u>07/</u> | 1 <u>2/2023</u> USPS Explana | ation: <u>In Transit</u> |
| Date Surveyor Submits Work Or | der: <u>08/10/2023</u> | Clerk Initials: KM | |
| Work Order Approvals: Inspector | DeMaria: 8/10/2023 | Captain Laing: 08/ | 14/2023 |
| Date Submitted to Contractor: 0 | 8/16/2023 | Clerk Initials:KM | |
| Date Completed Work Order Ref | urned by Contractor: 08/31/20 | 23 | |
| Reinspection Date: 09/22/2023 | Status: Satisfactory | Surveyor: DeMar | ia, Christy |
| | CONTRACTOR | | |
| Date: <u>08/31/2023</u> | Pictures: 5 | Invoice | e #:_0668 |
| Area: | Туре: | Completion Da | ate: <u>08/30/2023</u> |
| Description | # of Employees | Hours Spent | Cost |
| 8/28 - Hand work | 6 | 4 | \$ 2040.00 |
| 8/29 - Hand work 6 | | 6 | \$ 3060.00 |
| 8/30 - Hand work 5 | | 3 | \$ 1275.00 |
| | | Т | otal: \$ 6375.00 |
| | | | de lu |

ABATEMENT WORK ORDER



Date: <u>06/08/2023</u>

Surveyor: DeMaria, Christy

| APN: <u>366-150-034</u> | | | | | |
|--|--|---------------------------------|------------------------------|--|--|
| Address: 318 CHRISTIE DR. MA | RTINEZ, CA 94553 | | | | |
| Parcel Size: 368,082 sqft | Abate: 180,000 sqft | Туре | : HLC DEC TMZ | | |
| Instructions: Provide a hand mowed 60 foot | break from street and behind adjacent pr | operties along Christie Dr. Pro | vide 30 foot fuel break | | |
| around rest of perimeter and 15 foot cross | breaks per abatement standards. M | Mulch and scatter or remove | e all trimmings from parcel. | | |
| Owner: First Class Financial Gro | up | | | | |
| Address: | | | | | |
| Taxes: ☑ Paid ☐ Unpaid | | | | | |
| Previous Work Order(s): | | | | | |
| | | CCCFPD ESTIMAT | TE: \$ | | |
| Cert Card Received: Date: | No: X as of: <u>5/7/20</u> | USPS Explana | ation: <u>In Transit</u> | | |
| Date Surveyor Submits Work Order: | 06/08/2023 | Clerk Initials: KM | | | |
| Work Order Approvals: Inspector De | eMaria: 6/08/2023 | Captain Laing: 08/ | 14/2023 | | |
| Date Submitted to Contractor: 08/1 | 4/2023 | Clerk Initials:KM | | | |
| Date Completed Work Order Return | ed by Contractor: <u>08/29/202</u> | 3 | | | |
| Reinspection Date: 09/25/2023 | Status: Satisfactory | Surveyor: Giddis | , Chris | | |
| | CONTRACTOR | With the State of | | | |
| Date: 08/29/2023 | Pictures: 4 | Invoic | e #: <u>0622</u> | | |
| Area: | Туре: | Completion Da | ate: 08/24/2023 | | |
| Description | # of Employees | Hours Spent | Cost | | |
| 8/22/2023 - Hand work | 5 | 4 | \$ 1700.00 | | |
| 3/23/2023 - Hand work | 5 | 8 | \$ 3400.00 | | |
| 3/24/2023 - Hand work | 6 \$_2550.00 | | | | |
| | | Т | otal: \$ 7650.00 | | |
| | | ./ | Ala lua | | |

CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT HEARING ON ABATEMENT ORDERS October 9, 2023 EXHIBIT "1"

| | NOTICE SENT | APN | OWNER | SITE ADDRESS | CITY |
|---|-------------|-------------|--------------------------------------|----------------------------|---------------|
| 1 | 09/22/2023 | 001-081-024 | CLIFTON COURT LLC | NO ADDRESS | BYRON |
| 2 | 09/22/2023 | 015-100-047 | SANCHEZ FERNANDO & ROSA ISELA | 2975 SUNSET RD | KNIGHTSEN |
| 3 | 09/22/2023 | 020-020-016 | ALEJANDRO WILLIAM & ELVISA | 3840 KNIGHTSEN AVE | OAKLEY |
| 4 | 09/22/2023 | 028-080-010 | LUCKENBACH ALVIN H EST OF | 1296 TAYLOR RD | BETHEL ISLAND |
| 5 | 09/22/2023 | 032-082-004 | JIN-LONG QIN | BETHEL ISLAND RD | OAKLEY |
| 6 | 09/22/2023 | 032-100-019 | FACER DANIEL J & MEGAN A | 2276 DUTCH SLOUGH RD | OAKLEY |
| 7 | | 032-330-003 | ISLAND MARINA & BOAT SALES LLC | 2600 DUTCH SLOUGH RD | OAKLEY |
| 8 | 09/22/2023 | 033-051-012 | JOHNSON JOANI N TRE | 140 MALICOAT AVE | OAKLEY |
| 9 | 09/22/2023 | 033-150-018 | | 5681 SELLERS AVE | OAKLEY |
| 0 | | 052-011-013 | CHEVRON USA INC | HILLCREST AVE | ANTIOCH |
| 1 | | 052-342-010 | | WILDFLOWER DR | ANTIOCH |
| 2 | | 066-164-022 | JAUREGUI MIGUEL & OLGA | 124 E 7TH ST | ANTIOCH |
| 3 | | 066-195-006 | DAVIDSON KEVIN E & KAREN N | 7TH ST | ANTIOCH |
| 4 | | 067-341-033 | LIH CASA BLANCA ANTIOCH LP | 1000 CLAUDIA CT | ANTIOCH |
| 5 | | 068-094-013 | DAVIS MARK C | 1806 BLOSSOM DR | ANTIOCH |
| 3 | | 068-100-033 | FKP INC | NO ADDRESS | ANTIOCH |
| 7 | | 071-392-004 | GILL PEGGY L TRE | 3416 TABORA DR | ANTIOCH |
| 3 | | 071-392-004 | COMPASS REAL ESTATE LLC | 1005 GATTER DR | ANTIOCH |
| 9 | | 071-392-013 | BELTRAN EPIJAY & CATHERINE | 1017 GATTER DR | ANTIOCH |
| | | 072-161-014 | SWH 2017-1 BORROWER LP | 26 GREENSBORO CT | ANTIOCH |
| 1 | | 072-161-014 | TUIPULOTU SEINI | 30 GREENSBORO CT | ANTIOCH |
| | | 076-680-001 | GAMA AGGARWAL LLP | 3426 LEXINGTON WAY | ANTIOCH |
| | | 093-170-069 | MARTIN MINERVA EST OF | 81 MIMS AVE | BAY POINT |
| 1 | | 096-033-037 | DONGALLO ALEXANDER & CATHY TRE | 15 POINSETTIA AVE | BAY POINT |
| 5 | | 098-230-049 | CHURCH OF THE OPEN BIBLE | 3801 CAMINO ANDRES | BAY POINT |
| 1 | | | ANDEN GROUP | NO ADDRESS | BAY POINT |
| , | | | RAMIREZ MARIA DEL ROSARIO | 2713 ARGYLL AVE | CONCORD |
| 3 | | | CALLIDA DEVELOPMENT | 5701 CLAYTON RD | CLAYTON |
| 1 | | | VARGAS JOSEPH C JR | 1445 EL CAMINO DR | CLAYTON |
| | | | LIST RICHARD | JOAN AVE | CONCORD |
| | | | COOK RICHARD LYNN | 1928 RISDON RD | CONCORD |
| | | | NEVARES EARL P TRE | 21 ELDERWOOD DR | PLEASANT HILL |
| | | 154-690-001 | SHEPARD FAMILY LTD PTNRSHIP | 6055 ALHAMBRA AVE | MARTINEZ |
| | | | DEMATTEO JOSEPH J TRE | 3102 GLORIA TER | LAFAYETTE |
| + | | 166-180-023 | RICHARDSON HUXLEY T JR | 3133 GLORIA TER | LAFAYETTE |
| | | | MAMOOD DASHNA BAHMAN MAMOOD | 682 GLENSIDE DR | LAFAYETTE |
| | | | YU HENRY Y & AMY C TRE | 2 LOIS LN | LAFAYETTE |
| + | | | JAMAL AMIR | 1176 UPPER HAPPY VALLEY RD | LAFAYETTE |
| 3 | | | SUFI CIRCLE GROUP LLC | 111 LYNN DARR DR | MARTINEZ |
| | | | LANGER MATILDA C TRE | WARREN ST | MARTINEZ |
| + | | | LANGER MATILDA C TRE | WARREN ST | MARTINEZ |
| | | | COMMON AREA 113PM25 | NO ADDRESS | MARTINEZ |
| + | | | ROPATI ROBERT SR & FAATAUALOFA | 2666 KAVANAGH RD | SAN PABLO |
| - | | | MCKELVY SALLIE F EST OF | 56 WILLARD AVE | RICHMOND |
| - | | | | 1520 6TH ST | RICHMOND |
| - | | | SMITH JEWEL LOUVENIA | 1600 5TH ST | RICHMOND |
| - | | | HUGHEY DARRYL J MEHREN JAY & LALENYA | 513 GROVE AVE | RICHMOND |
| - | | | | 1620 5TH ST | RICHMOND |
| | | | HUGHEY DARRYL J | 5TH ST | RICHMOND |
| | | | HUGHEY DARRYL J PINEDA ROLANDO A | 357 SILVER AVE | RICHMOND |

| 51 | 09/22/2023 | 409-172-019 | NRLD OZ FUND LLC | 345 GROVE AVE | RICHMOND |
|----|------------|-------------|-------------------------------|-----------------|-------------|
| 52 | 09/22/2023 | 409-220-006 | PITRE PATRICIA TRE | 1845 2ND ST | RICHMOND |
| 53 | 09/22/2023 | 409-220-007 | PITRE PATRICIA TRE | 1843 2ND ST | RICHMOND |
| 54 | 09/22/2023 | 409-220-008 | PITRE PATRICIA TRE | 1841 2ND ST | RICHMOND |
| 55 | 09/22/2023 | 409-240-029 | NEWTON RPM LIMITED | 1815 TRUMAN ST | RICHMOND |
| 56 | 09/22/2023 | 409-240-030 | NEWTON RPM LIMITED | 1817 TRUMAN ST | RICHMOND |
| 57 | 09/22/2023 | 409-251-019 | CHUNG KI YOUNG & SARAH | 1828 TRUMAN ST | RICHMOND |
| 58 | 09/22/2023 | 409-251-020 | CHAN ANDREW | 1818 TRUMAN ST | RICHMOND |
| 59 | 09/22/2023 | 409-262-013 | GRIFFIN CARLOS A | VERDE AVE | RICHMOND |
| 60 | 09/22/2023 | 409-291-017 | LAM VINCENT WING SHUEN | 603 VERDE AVE | RICHMOND |
| 61 | 09/22/2023 | 418-143-005 | MARIO ANTHONY ANICAMA TRE | DIMM WAY | RICHMOND |
| 62 | 09/22/2023 | 426-030-042 | ZARRIN BAHADOUR TRE | 1005 BALMORE CT | EL SOBRANTE |
| 63 | 09/22/2023 | 430-040-015 | VOTTO JAMES W TRE | 4 LIVE OAK CIR | EL SOBRANTE |
| 64 | 09/22/2023 | 430-102-003 | ARELLANO-RODRIGUEZ SANDRA LUZ | 5800 SKYLINE DR | EL SOBRANTE |
| 65 | 09/22/2023 | 430-200-020 | LRH PROPERTIES LLC | SOBRANTE AVE | EL SOBRANTE |

Printed: 9/29/2023 Page 2 of 2



CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT

MINUTES

August 14, 2023

The Advisory Fire Commission met at a regular meeting on Monday, August 14, 2023. Chair Guichard called the meeting to order at 7:00 p.m. and led the salute to the flag.

ROLL CALL

Present:

Commissioners: Matthew Guichard - District II

Susanna Thompson - District III

Don Mayo - District IV Richard Nakano - District V Mike Egan - At Large #1 Brian Oftedal - At Large #2

Mark DeMarce - At Large Alternate #1 Donn Walklet - At Large Alternate #2

Deputy Fire Chief: Brian Helmick

WELCOME AND INTRODUCTION OF NEW COMMISSIONER

Chair Guichard introduced Don Mayo and welcomed him to the Commission.

SERVICE AWARD PRESENTATIONS

Deputy Chief Helmick presented Battalion Chief Jeff Burris with his 35-year service award pin.

Deputy Chief Helmick presented Fire Captain-Paramedic Dave Manzeck with his 20year service award pin.

PUBLIC COMMENTS

None.

PUBLIC HEARINGS

A. August 9, 2023 Report on the Cost of Abatement

Chair Guichard opened the public hearing on the August 9, 2023 Report on the Cost of Abatement. Hearing no objections or protests to the August 9, 2023 Abatement Report, the hearing was closed. Chair Guichard then asked for a motion to adopt the Resolution of Confirmation confirming the August 9, 2023 Abatement Report in the amount of \$36,460.40. Commissioner Thompson moved that the Commission adopt the Resolution of Confirmation confirming the Abatement Report, seconded by

Commissioner Egan. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

Commissioner Oftedal made an additional motion to have District staff adjust or modify any charges found to be incorrect because the charge was entered:

- a) more than once,
- b) through clerical error,
- c) through the error or mistake of a material fact, or
- d) illegally

Motion seconded by Commissioner Thompson. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

B. Hearing on Abatement Orders

Chair Guichard opened the Hearing on Abatement Orders for all properties listed in Exhibit 1, dated August 14, 2023.

A representative for Line 6 of Exhibit 1 appeared and requested more time to abate their property. Assistant Chief / Fire Marshal Bachman granted the requestor additional time, through September 11, 2023.

There were no additional property owners in attendance representing any of the remaining 89 properties listed in Exhibit 1.

Chair Guichard closed the hearing and asked for a motion to uphold and enforce 89 of 90 abatement orders listed in Exhibit 1. Commissioner Nakano made a motion to uphold and enforce all abatement orders listed in Exhibit 1. Motion seconded by Commissioner Mayo. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

CONSENT ITEMS

A. June 12, 2023 Meeting Minutes

Commissioner Nakano made a motion to accept and file the June 12, 2023 minutes. Motion seconded by Commissioner Oftedal. Motion passed (AYES: Egan, Guichard, Nakano, Oftedal, Thompson, Walklet; ABSTAIN: Mayo; ABSENT: None)

B. July 10, 2023 Meeting Minutes

Commissioner Thompson made a motion to accept and file the July 10, 2023 minutes. Motion seconded by Commissioner Oftedal. Motion passed (AYES: Egan, Guichard, Nakano, Oftedal, Thompson, Walklet; ABSTAIN: Mayo; ABSENT: None).

C. Accept and File Reports:

1. Personnel Report

- 2. Fire Prevention Report
- 3. Monthly Activity Reports
- 4. Suppression Leave Summary

Commissioner Nakano made a motion to accept and file all reports. Motion seconded by Commissioner Oftedal. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

DISCUSSION ITEMS

A. Declaration of Surplus Equipment – Report of July 26, 2023

Commissioner Thompson made a motion to approve the surplus of equipment listed on the declaration report of July 26, 2023. Motion seconded by Commissioner Oftedal. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

B. Nomination and Selection of Chair and Vice Chair for FY 2023/24

Chair Guichard made a motion to nominate Vice Chair Nakano as Chair. Motion seconded by Commissioner Egan. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

Commissioner Thompson made a motion to nominate Commissioner Oftedal as Vice Chair. Motion seconded by Commissioner Egan. Motion passed (AYES: Egan, Guichard, Mayo, Nakano, Oftedal, Thompson, Walklet; ABSENT: None).

FIRE CHIEF'S REPORT

Reviewed/discussed the August 14, 2023 Fire Chief's report.

COMMISSIONERS' COMMENTS / ITEMS FOR FUTURE AGENDAS

Commissioner Mayo: What can we learn from the Maui fires and apply here?

Commissioner Guichard: What plans does the Fire District have in place for that kind of incident?

Commissioner Nakano: Are there also lessons we can learn from the Berkeley Hills fire which might be a better comparison due to the high winds?

Commissioner Guichard: Who is responsible for maintenance and testing of fire hydrants?

Commissioners Guichard and Mayo: Zonehaven update

Commissioner DeMarce asked if there were any calls to the number the District provided to report illegal fireworks. Assistant Chief / Fire Marshal Bachman reported that all such calls went directly to the police departments.

NEXT MEETING DATE AND TIME

The next Special meeting is scheduled for September 11, 2023, 7:00 p.m.

The next Regular meeting is scheduled for October 9, 2023, 7:00 p.m.

Meeting adjourned at 8:23 p.m.

Latonia Ellingberg, Recording Secretary



CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT

MINUTES

September 11, 2023

The Advisory Fire Commission met at a special meeting on Monday, September 11, 2023. Chair Nakano called the meeting to order at 7:00 p.m. and led the Pledge of Allegiance.

ROLL CALL

Present: Commissioners: Mark DeMarce – At Large Alternate #1

Mike Egan – At Large #1
Don Mayo – District IV
Richard Nakano – District V
Brian J. Oftedal – At Large #2

Fire Chief: Lewis Broschard

Absent: Matthew Guichard – District II

Susanna Thompson – District III Donn Walklet – At Large Alternate #2

PUBLIC COMMENTS

None

HEARING ON ABATEMENT ORDERS

Chair Nakano opened the Hearing on Abatement Orders for all properties listed in Exhibit 1, dated September 11, 2023.

There were no property owners in attendance representing any of the 95 properties listed in Exhibit 1.

Chair Nakano asked for a motion to uphold and enforce all abatement orders listed in Exhibit 1. Commissioner Oftedal moved to uphold and enforce all abatement orders listed in Exhibit 1. Motion seconded by Commissioner DeMarce. Motion passed (AYES: DeMarce, Egan, Mayo, Nakano, Oftedal; ABSENT: Egan, Thompson, Walklet).

COMMISSIONERS' COMMENTS / ITEMS FOR FUTURE AGENDAS

None.

Meeting adjourned at 7:10 p.m.

NEXT MEETING DATE AND TIME

The next regular meeting is scheduled for October 9, 2023, 7:00 p.m.

Latonia Ellingberg, Recording Secretary



CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT

TO: Advisory Fire Commission

FROM: Regina Rubier, Chief of Administrative Services

SUBJECT: Personnel Report

DATE: October 9, 2023

SERVICE AWARDS

25-YEAR

| Gerard Heidkamp | 09-08-1998 | | | | | |
|--|------------------------|------------|--|--|--|--|
| 20-YEAR | | | | | | |
| Manuel Aires Lead Fire Emergency Vehicle Technician 10-01-20 | | | | | | |
| Damon Haas | Fire Captain/Paramedic | 10-25-2003 | | | | |

HIRES

| Bela Richards | Account Clerk-Advanced | 09-05-2023 |
|---------------|------------------------|------------|
| Chloe Ormerod | Storekeeper | 09-14-2023 |

REVERSION

| Herbert Cheng | Firefighter Paramedic | 08-18-2023 |
|---------------|-----------------------|------------|
|---------------|-----------------------|------------|

SEPARATION

| Gerard Garcia | Fire Engineer Paramedic | 09-01-2023 |
|---------------|-------------------------|------------|
|---------------|-------------------------|------------|

RETIREMENTS

| Jacqueline Lorrekovich | Chief of Administrative Services | 04-06-1998 | 08-31-2023 |
|------------------------|----------------------------------|------------|------------|
| Todd Roach | Fire Engineer-Paramedic | 06-29-2004 | 09-30-2023 |
| Amy Miller | Fire Engineer-Paramedic | 07-21-2003 | 10-31-2023 |
| William Brashier | Fire Captain | 11-20-2000 | 11-13-2023 |

SUPPRESSION STAFFING VACANCIES

| | Minimum Staffing | Current Staffing | Vacancies |
|---------------|------------------|------------------|-----------|
| Fire Captain | 120 | 108 | 12 |
| Fire Engineer | 114 | 112 | 2 |
| Firefighter | 132 | 176 | (44) |
| Total | 366 | 396 | (30) |

NOTES

- 1. The suppression staffing report reflects the addition of Pinole Fire Stations 73 and 74, effective March 1, 2023. The contract with Pinole added two additional fire companies. In April 2023, the District added a second company to Fire Station 81 in Antioch. In July 6, 2023, the Districted added a three-person rescue company at Station 86. The District is now staffing 38 fire companies some with three-person crews and some with four-person crews.
- 2. The District added three Shift Training Captains (Safety Officers) to bring the total to six. The District also added two hand crew supervisor positions which were filled by incumbent Fire Captains who were previously assigned to fire stations.
- 3. Negative numbers represent a surplus over minimum staffing. Surplus staff at the Firefighter rank will eventually fill vacancies created through attrition and internal promotions.



FIRE PREVENTION BUREAL **AUGUST YEAR-TO-DATE**





Code Enforcement

4880

385 Other Occupancy Inspections

62%

Mandated Inspections

1993 Re-inspections Completed Misc. Inspections

189 Completed 850 Inspections 28 Special Event Inspections

2608 Construction Inspections Engineering 2608 ш

1576 Plan Reviews

Community Risk Reduction 23 CRR

Firewise Communities

1605

Weed Abatement Activities

CRR Surveys

538 Fire Investigations Arrests

Followers 11,000



Followers 23,500



Followers 18,700



57 1914



SEPTEMBER YEAR-TO-DATE FIRE PREVENTION BUREAU





Code Enforcement

5114


425 Other Occupancy Inspections



209 Completed 850 Inspections 2184 Re-inspections Completed 39 Special Event Inspections Misc. Inspections



1720 Plan Reviews







Followers 11,000



23,500 Followers



18,700 Followers



63 2669

Response by Station

 $(08/01/23 \sim 08/31/23)$

(09/01/23 ~ 09/30/23)

| Station | Runs | Runs/Day | Code 3 |
|---------|------|----------|--------|
| 6 | 637 | 20.55 | 488 |
| 81 | 522 | 16.84 | 408 |
| 70 | 473 | 15.26 | 392 |
| 92 | 467 | 15.06 | 350 |
| 1 | 394 | 12.71 | 251 |
| 86 | 362 | 11.68 | 296 |
| 85 | 314 | 10.13 | 270 |
| 83 | 312 | 10.06 | 275 |
| 84 | 304 | 9.81 | 255 |
| 5 | 280 | 9.03 | 217 |
| 88 | 275 | 8.87 | 217 |
| 82 | 274 | 8.84 | 227 |
| 9 | 261 | 8.42 | 209 |
| 93 | 250 | 8.06 | 195 |
| 3 | 219 | 7.06 | 167 |
| 2 | 213 | 6.87 | 170 |
| 10 | 203 | 6.55 | 155 |
| 8 | 197 | 6.35 | 153 |
| 13 | 183 | 5.9 | 144 |
| 14 | 183 | 5.9 | 157 |
| 69 | 164 | 5.29 | 142 |
| 87 | 162 | 5.23 | 133 |
| 73 | 154 | 4.97 | 127 |
| 11 | 123 | 3.97 | 80 |
| 7 | 121 | 3.9 | 80 |
| 95 | 118 | 3.81 | 91 |
| 99 | 117 | 3.77 | 100 |
| 15 | 115 | 3.71 | 78 |
| 74 | 85 | 2.74 | 71 |
| 22 | 81 | 2.61 | 62 |
| 4 | 58 | 1.87 | 35 |
| 16 | 53 | 1.71 | 24 |
| 17 | 48 | 1.55 | 33 |
| 19 | 7 | 0.23 | 6 |
| 21 | 2 | 0.06 | 2 |
| | 7731 | 249.39 | 6060 |

| Station | Runs | Runs/Day | Code 3 |
|---------|------|----------|--------|
| 6 | 549 | 18.3 | 358 |
| 92 | 513 | 17.1 | 348 |
| 81 | 502 | 16.73 | 357 |
| 70 | 452 | 15.07 | 319 |
| 1 | 372 | 12.4 | 208 |
| 93 | 301 | 10.03 | 197 |
| 86 | 285 | 9.5 | 235 |
| 5 | 278 | 9.27 | 193 |
| 88 | 273 | 9.1 | 207 |
| 83 | 268 | 8.93 | 199 |
| 82 | 260 | 8.67 | 175 |
| 85 | 260 | 8.67 | 174 |
| 84 | 241 | 8.03 | 186 |
| 9 | 229 | 7.63 | 160 |
| 8 | 201 | 6.7 | 119 |
| 3 | 190 | 6.33 | 113 |
| 10 | 168 | 5.6 | 105 |
| 13 | 166 | 5.53 | 114 |
| 2 | 153 | 5.1 | 92 |
| 14 | 151 | 5.03 | 109 |
| 69 | 139 | 4.63 | 105 |
| 15 | 127 | 4.23 | 78 |
| 73 | 127 | 4.23 | 89 |
| 87 | 126 | 4.2 | 91 |
| 95 | 122 | 4.07 | 85 |
| 99 | 109 | 3.63 | 75 |
| 7 | 100 | 3.33 | 66 |
| 11 | 100 | 3.33 | 64 |
| 4 | 82 | 2.73 | 52 |
| 22 | 67 | 2.23 | 42 |
| 16 | 59 | 1.97 | 43 |
| 74 | 55 | 1.83 | 30 |
| 17 | 37 | 1.23 | 23 |
| 19 | 6 | 0.2 | 2 |
| | 7068 | 235.6 | 4813 |

Response by Company

(08/01/23 ~ 08/31/23)

| Unit | Runs | Runs/Day | Code 3 |
|------|------|----------|--------|
| E106 | 417 | 13.45 | 345 |
| E181 | 349 | 11.26 | 290 |
| E170 | 322 | 10.39 | 284 |
| E183 | 305 | 9.84 | 268 |
| E192 | 298 | 9.61 | 246 |
| E185 | 297 | 9.58 | 254 |
| T184 | 295 | 9.52 | 246 |
| E188 | 268 | 8.65 | 210 |
| E105 | 264 | 8.52 | 202 |
| E182 | 264 | 8.52 | 217 |
| E101 | 255 | 8.23 | 187 |
| E109 | 254 | 8.19 | 202 |
| E193 | 242 | 7.81 | 188 |
| E186 | 224 | 7.23 | 184 |
| T106 | 220 | 7.1 | 143 |
| E103 | 216 | 6.97 | 164 |
| E102 | 206 | 6.65 | 163 |
| E108 | 196 | 6.32 | 152 |
| E113 | 178 | 5.74 | 139 |
| E110 | 173 | 5.58 | 130 |
| T181 | 173 | 5.58 | 118 |
| E169 | 164 | 5.29 | 142 |
| E173 | 154 | 4.97 | 127 |
| E187 | 154 | 4.97 | 128 |
| T170 | 151 | 4.87 | 108 |
| T101 | 139 | 4.48 | 64 |
| R86 | 133 | 4.29 | 107 |
| T114 | 124 | 4 | 110 |
| T192 | 124 | 4 | 77 |
| E111 | 121 | 3.9 | 79 |
| E115 | 114 | 3.68 | 77 |
| E199 | 113 | 3.65 | 96 |
| E107 | 110 | 3.55 | 69 |
| E195 | 102 | 3.29 | 77 |
| E122 | 79 | 2.55 | 60 |
| E174 | 79 | 2.55 | 65 |
| E114 | 59 | 1.9 | 47 |
| E104 | 57 | 1.84 | 34 |
| E116 | 53 | 1.71 | 24 |
| E117 | 46 | 1.48 | 31 |

| E190 | 45 | 1.45 | 27 |
|--------|------|--------|------|
| R10 | 27 | 0.87 | 22 |
| WT105 | 16 | 0.52 | 15 |
| FB8 | 12 | 0.39 | 12 |
| E382 | 10 | 0.32 | 10 |
| BS107 | 9 | 0.29 | 9 |
| E393 | 8 | 0.26 | 7 |
| HM87 | 8 | 0.26 | 5 |
| WT195 | 8 | 0.26 | 6 |
| E302 | 7 | 0.23 | 7 |
| E383 | 7 | 0.23 | 7 |
| E609 | 7 | 0.23 | 7 |
| E688 | 7 | 0.23 | 7 |
| E374 | 6 | 0.19 | 6 |
| DZ220T | 5 | 0.16 | 5 |
| E313 | 5 | 0.16 | 5 |
| E386 | 5 | 0.16 | 5 |
| E685 | 5 | 0.16 | 4 |
| DZ220 | 4 | 0.13 | 4 |
| E319 | 4 | 0.13 | 3 |
| E395 | 4 | 0.13 | 4 |
| FB9 | 4 | 0.13 | 4 |
| WT199 | 4 | 0.13 | 4 |
| E303 | 3 | 0.1 | 3 |
| E619 | 3 | 0.1 | 3 |
| R310 | 3 | 0.1 | 3 |
| DZ221T | 2 | 0.06 | 2 |
| E307 | 2 | 0.06 | 2 |
| E311 | 2 | 0.06 | 1 |
| E317 | 2 | 0.06 | 2 |
| E322 | 2 | 0.06 | 2 |
| E304 | 1 | 0.03 | 1 |
| E315 | 1 | 0.03 | 1 |
| E608 | 1 | 0.03 | 1 |
| | 7731 | 249.39 | 6060 |
| | | | |

Response by Company

(09/01/23 ~ 09/30/23)

| Unit | Runs | Runs/Day | Code 3 |
|-------|------|----------|--------|
| E106 | 366 | 12.2 | 250 |
| E181 | 331 | 11.03 | 243 |
| E170 | 321 | 10.7 | 238 |
| E193 | 297 | 9.9 | 194 |
| E188 | 269 | 8.97 | 203 |
| E105 | 265 | 8.83 | 180 |
| E183 | 260 | 8.67 | 191 |
| E182 | 259 | 8.63 | 174 |
| E192 | 252 | 8.4 | 178 |
| E185 | 250 | 8.33 | 164 |
| E101 | 239 | 7.97 | 153 |
| T184 | 230 | 7.67 | 175 |
| E109 | 225 | 7.5 | 157 |
| E190 | 207 | 6.9 | 151 |
| E108 | 198 | 6.6 | 116 |
| E103 | 190 | 6.33 | 113 |
| T106 | 183 | 6.1 | 108 |
| E186 | 175 | 5.83 | 138 |
| T181 | 171 | 5.7 | 114 |
| E113 | 165 | 5.5 | 113 |
| E102 | 153 | 5.1 | 92 |
| E114 | 144 | 4.8 | 106 |
| E110 | 143 | 4.77 | 81 |
| E169 | 138 | 4.6 | 104 |
| T101 | 133 | 4.43 | 55 |
| E115 | 127 | 4.23 | 78 |
| E173 | 127 | 4.23 | 89 |
| E187 | 125 | 4.17 | 90 |
| E195 | 109 | 3.63 | 74 |
| E199 | 104 | 3.47 | 70 |
| R86 | 101 | 3.37 | 88 |
| E111 | 99 | 3.3 | 63 |
| E107 | 95 | 3.17 | 61 |
| T170 | 92 | 3.07 | 51 |
| E104 | 82 | 2.73 | 52 |
| E122 | 65 | 2.17 | 40 |
| E116 | 59 | 1.97 | 43 |
| E174 | 52 | 1.73 | 27 |
| T192 | 52 | 1.73 | 18 |
| E170A | 39 | 1.3 | 30 |

| E117 | 36 | 1.2 | 22 |
|--------|------|-------|------|
| R10 | 24 | 0.8 | 23 |
| WT105 | 13 | 0.43 | 13 |
| E685 | 10 | 0.33 | 10 |
| WT195 | 9 | 0.3 | 7 |
| DZ220T | 8 | 0.27 | 8 |
| E383 | 8 | 0.27 | 8 |
| T114 | 7 | 0.23 | 3 |
| BS107 | 5 | 0.17 | 5 |
| E386 | 5 | 0.17 | 5 |
| E393 | 4 | 0.13 | 3 |
| E609 | 4 | 0.13 | 3 |
| E688 | 4 | 0.13 | 4 |
| R386 | 4 | 0.13 | 4 |
| DZ220 | 3 | 0.1 | 3 |
| E319 | 3 | 0.1 | 0 |
| E374 | 3 | 0.1 | 3 |
| E399 | 3 | 0.1 | 3 |
| E608 | 3 | 0.1 | 3 |
| E619 | 3 | 0.1 | 2 |
| FB9 | 3 | 0.1 | 3 |
| E322 | 2 | 0.07 | 2 |
| WT192 | 2 | 0.07 | 1 |
| WT199 | 2 | 0.07 | 2 |
| E311 | 1 | 0.03 | 1 |
| E313 | 1 | 0.03 | 1 |
| E317 | 1 | 0.03 | 1 |
| E369 | 1 | 0.03 | 1 |
| E382 | 1 | 0.03 | 1 |
| E395 | 1 | 0.03 | 1 |
| HM87 | 1 | 0.03 | 1 |
| R310 | 1 | 0.03 | 1 |
| | 7068 | 235.6 | 4813 |

| | Month: 8 |
|----------------------------|-----------------|
| Protection District | Year: 2023 |
| Contra Costa County Fire F | Station Summary |

| | | | | | | - Fire - | | | | | | | | | | Code | 3 | |
|----------------|---------------|------------------------|-----------|-----|--------|----------|--------|-----------------------|---------------------|----------|-----------------------|-----------------------------|-------------|--------|------------|---------|------------|-------------------------|
| • | Č | Code | 2 | - | | 7 | | | | Public 8 | Public Mistaken False | False | Other | | PP-FD | ξ, | | Total |
| Area | Cirty | 3 Calls | Aid | Aid | Struc. | Veg. | Other | Kescue Hazard Service | Hazard | Service | Alarm | Alarm | Į | ota | Processing | Turnout | Travel | Response |
| 01 | Walnut Creek | 156 | 0 | - | 2 | 2 | 5 | 129 | 2 | 13 | 59 | 18 | 0 | 230 | 01:36 | 01:18 | 04:34 | 07:32 |
| 02 | Pleasant Hill | 149 | 0 | 0 | ~ | _ | 4 | 126 | 7 | ∞ | 59 | 20 | 0 | 191 | 01:31 | 01:16 | 04:52 | 07:59 |
| 03 | Walnut Creek | 179 | 0 | ~- | τ- | _ | 2 | 179 | 4 | 28 | 24 | 7 | 0 | 246 | 01:37 | 01:27 | 04:49 | 07:50 |
| 04 | Walnut Creek | 22 | 0 | 0 | 0 | 0 | _ | 19 | - | 9 | 2 | 2 | 0 | 8 | 01:38 | 01:34 | 05:22 | 08:42 |
| 02 | Pleasant Hill | 145 | 0 | 0 | က | က | 9 | 121 | 7 | 10 | 39 | 2 | 0 | 189 | 01:36 | 01:04 | 04:37 | 07:19 |
| 90 | Concord | 354 | 0 | _ | 4 | က | 29 | 273 | 10 | 25 | 83 | 22 | 0 | 449 | 01:32 | 01:06 | 04:44 | 07:20 |
| 20 | Walnut Creek | 63 | 0 | 0 | 0 | 0 | 2 | 53 | က | 13 | 19 | 12 | 0 | 102 | 01:34 | 01:24 | 04:37 | 07:40 |
| 90 | Concord | 153 | 0 | 0 | 0 | 0 | 9 | 137 | ~ | 15 | 19 | 2 | 0 | 183 | 01:29 | 01:36 | 04:47 | 07:52 |
| 60 | Pacheco | 146 | 0 | 0 | _ | 2 | 6 | 104 | 2 | 6 | 58 | 10 | 0 | 198 | 01:31 | 01:18 | 05:43 | 08:29 |
| 10 | Concord | 113 | 0 | 0 | 0 | 0 | က | 103 | _ | 17 | 15 | 7 | 0 | 146 | 01:25 | 01:22 | 04:48 | 07:41 |
| 1 | Clayton | 84 | 0 | _ | ~ | 0 | 5 | 71 | _ | 1 | 28 | 10 | _ | 128 | 01:25 | 01:13 | 04:39 | 07:20 |
| 12 | Martinez | 116 | 0 | 0 | _ | 0 | 5 | 85 | က | 2 | 32 | S | 0 | 136 | 01:25 | 01:41 | 06:43 | 09:53 |
| 13 | Martinez | 28 | 0 | 2 | 0 | 2 | _ | 44 | ဗ | œ | 16 | ← | 0 | 75 | 01:27 | 01:27 | 05:38 | 08:20 |
| 14 | Martinez | 88 | 0 | _ | 0 | 0 | 9 | 71 | 4 | ∞ | 12 | S | 0 | 106 | 01:23 | 01:45 | 04:24 | 07:30 |
| 15 | Lafayette | 71 | 0 | 9 | 0 | 0 | 4 | 22 | က | 4 | 19 | 7 | 0 | 96 | 01:31 | 01:37 | 06:01 | 08:59 |
| 16 | Lafayette | 00 | 0 | 2 | 0 | 0 | 0 | 9 | ဗ | 4 | 9 | 9 | ~ | 26 | 01:11 | 01:24 | 04:13 | 06:51 |
| 17 | Lafayette | 7 | 0 | 4 | - | 0 | 0 | 5 | _ | _ | ~ | _ | 0 | 10 | 01:20 | 01:25 | 04:54 | 07:39 |
| 00 | Clyde | 9 | 0 | 0 | 0 | 0 | _ | 4 | _ | 0 | ~ | 0 | 0 | 7 | 01:55 | 01:06 | 08:59 | 10:57 |
| 19 | Martinez | ო | 0 | ~ | 0 | 0 | 2 | 0 | 0 | 0 | ~ | 0 | 0 | က | 02:06 | 02:16 | 06:14 | 07:34 |
| 21 | Concord | 41 | 0 | 0 | 0 | ~ | 0 | 35 | 0 | တ | 9 | 9 | 0 | 22 | 01:24 | 01:11 | 06:36 | 09:15 |
| 22 | Concord | 31 | 0 | 0 | 0 | 0 | 0 | 27 | - | က | 5 | 9 | 0 | 42 | 01:14 | 01:53 | 04:59 | 08:24 |
| 69 | El Sobrante | 75 | 0 | 22 | 2 | 0 | 0 | 4 | က | 2 | 16 | က | က | 96 | 01:32 | 01:33 | 03:57 | 06:53 |
| 70 | San Pablo | 341 | 0 | 101 | က | 2 | 30 | 247 | 16 | 7 | 80 | 13 | 15 | 417 | 01:31 | 01:30 | 02:06 | 08:19 |
| 73 | Pinole | 77 | 0 | 12 | 0 | _ | 4 | 63 | လ | 9 | 15 | က | ~ | 96 | 01:25 | 01:28 | 05:04 | 08:05 |
| 74 | Pinole | 22 | 0 | 4 | 7 | 0 | 0 | 46 | _ | 2 | 80 | S | τ | 65 | 01:30 | 01:21 | 04:20 | 07:14 |
| 81 | Antioch | 290 | 0 | 0 | 7 | 5 | 21 | 217 | 9 | 13 | 73 | တ | 0 | 346 | 01:33 | 01:13 | 04:37 | 07:24 |
| 82 | Antioch | 209 | 0 | 0 | 4 | _ | 15 | 174 | 2 | 16 | 39 | 9 | 0 | 260 | 01:29 | 01:16 | 05:08 | 07:58 |
| 83 | Antioch | 216 | 0 | 0 | 2 | _ | 7 | 186 | ~ | 10 | 40 | 7 | 0 | 258 | 01:31 | 01:01 | 05:28 | 08:00 |
| 84 | Pittsburg | 103 | 0 | 0 | _ | 0 | က | 65 | ~ | _ | 42 | 6 | 0 | 122 | 01:25 | 01:16 | 05:17 | 08:07 |
| 82 | Pittsburg | 251 | 0 | _ | _ | 2 | 17 | 175 | 7 | 14 | 79 | 14 | 0 | 304 | 01:26 | 01:15 | 05:14 | 07:55 |
| 98 | Bay Point | 197 | 0 | 0 | - | 4 | 19 | 142 | 9 | 12 | 46 | 14 | 0 | 244 | 01:26 | 01:20 | 05:19 | 90:80 |
| 87 | Pittsburg | 09 | 0 | 0 | ~ | 0 | _ | 20 | _ | ~ | 18 | 4 | 0 | 26 | 01:21 | 01:22 | 04:57 | 07:38 |
| 88 | Antioch | 167 | 0 | 0 | 4 | 9 | 10 | 130 | က | 11 | 38 | 6 | 0 | 211 | 01:24 | 01:20 | 05:26 | 08:13 |
| 92 | Brentwood | 307 | 0 | 2 | 7 | ~ | 10 | 243 | 2 | 30 | 81 | 13 | | 386 | 01:31 | 01:17 | 06:26 | 20:60 |
| 93 | Oakley | 145 | 0 | 0 | 0 | ~ | က | 131 | က | 13 | 25 | 10 | 0 | 186 | 01:19 | 01:31 | 05:01 | 07:58 |
| 92 | Bethel Island | 29 | 0 | 0 | 0 | 0 | 7 | 41 | 0 | 2 | 16 | 9 | 0 | 75 | 01:19 | 01:24 | 06:31 | 09:17 |
| 66 | Discovery Bay | 73 | 0 | _ | 0 | - | 5 | 09 | 7 | 7 | 15 | 4 | 0 | 83 | 01:29 | 01:28 | 06:51 | 09:45 |
| CON | | 7 | 0 | 4 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 01:51 | 02:18 | 09:33 | 11:19 |
| **Other | | 156 | _ | 177 | 2 | က | 10 | 75 | S. | œ | 89 | ນ | | 177 | 01:17 | 00:58 | 05:44 | 07:59 |
| | | 4778 | - | 341 | 42 | 43 | 253 | 3763 | 114 | 357 | 1173 | 300 | 24 | 6909 | | | | |
| Time cans. Ves | | Drocoecing: 6:00 mins: | orien CO. | | L | T | | L | 44.00 | | | | 20.04 | | | | (Revised o | (Revised on 06/01/2023) |
| 2 | | CGSSIIIG. | 50. | • | 5 | 4.00 | , 2 | ומאל | iravel: 14:00 mins, | Š | Ota | i otal Kesponse: 16:00 mins | Se: 10.01 | SIII C | | | | |

| | Month: 9 |
|---------------------------------|-----------------|
| Protection District | Year: 2023 |
| Contra Costa County Fire | Station Summary |

| כומווי | tation callinal | | | | | : :::::::::::::::::::::::::::::::::::: | | | | | | | | | | 900 | , | |
|----------------|-----------------|------------------------|---------|-----|--------|---|-------|------|-----------------------|----------|-----------------------|----------------------------|--------------|---------|------------|----------|-------------|-------------------------|
| | Ċ | Code | 2 | - | | | | | | Public A | Public Mistaken False | False | Other | | PP - FD | FD-FE | FE - FA | Total |
| Area | בוב | s calls | Aid | Ald | Struc. | veg. | Otner | | Kescue Hazard Service | Service | Alarm | Alarm | Ż | otal | Processing | Incupant | Iravel | Kesponse |
| 01 | Walnut Creek | 142 | 0 | 0 | ~ | - | က | 136 | 4 | 16 | 56 | 18 | 2 | 237 | 01:30 | 01:18 | 04:59 | 08:10 |
| 02 | Pleasant Hill | 86 | 0 | 0 | 0 | 0 | | 92 | ည | 10 | 22 | 13 | 0 | 14 4 | 01:28 | 01:23 | 05:23 | 08:28 |
| 03 | Walnut Creek | 131 | 0 | 0 | _ | 0 | _ | 146 | _ | 17 | 38 | 9 | _ | 211 | 01:40 | 01:21 | 05:35 | 08:25 |
| 04 | Walnut Creek | 19 | 0 | 0 | 0 | 0 | | 15 | 2 | 7 | 00 | 2 | 0 | 59 | 01:24 | 01:31 | 04:52 | 07:49 |
| 02 | Pleasant Hill | 120 | 0 | 0 | 2 | 5 | 9 | 130 | - | 4 | 28 | 2 | 0 | 181 | 01:37 | 00:53 | 05:21 | 07:54 |
| 90 | Concord | 261 | 0 | 0 | - | က | 19 | 265 | 2 | 18 | 73 | 17 | _ | 402 | 01:32 | 01:08 | 04:49 | 07:41 |
| 20 | Walnut Creek | 53 | 0 | 0 | _ | _ | 0 | 22 | 4 | œ | တ | 7 | 0 | 87 | 01:37 | 01:02 | 04:28 | 07:23 |
| 08 | Concord | 106 | 0 | _ | - | 0 | 2 | 129 | _ | 19 | 17 | 80 | 0 | 177 | 01:27 | 01:18 | 04:15 | 07:02 |
| 60 | Pacheco | 117 | 0 | 0 | 0 | _ | 6 | 86 | 2 | 4 | 41 | 12 | 0 | 167 | 01:36 | 01:21 | 05:48 | 08:53 |
| 10 | Concord | 75 | 0 | 7 | - | 0 | - | 82 | 2 | 56 | 4 | 7 | 0 | 133 | 01:34 | 01:26 | 04:34 | 07:32 |
| 7 | Clayton | 29 | 0 | 2 | 0 | 2 | | 62 | ~ | 12 | 17 | 7 | 0 | 106 | 01:30 | 01:06 | 05:08 | 07:50 |
| 12 | Martinez | 29 | 0 | 0 | 0 | 0 | 3 | 29 | က | 2 | 27 | 2 | 0 | 66 | 01:31 | 01:24 | 06:37 | 20:60 |
| 13 | Martinez | 25 | 0 | 2 | 0 | 0 | | 20 | 2 | က | 16 | က | _ | 75 | 01:26 | 01:23 | 05:54 | 08:48 |
| 14 | Martinez | 99 | 0 | 0 | 0 | 0 | _ | 99 | က | လ | 10 | 9 | 0 | 88 | 01:26 | 01:26 | 04:07 | 07:05 |
| 15 | Lafayette | 61 | 0 | 7 | _ | 0 | 3 | 22 | 9 | 13 | 14 | 9 | _ | 66 | 01:32 | 01:33 | 05:22 | 08:10 |
| 16 | Lafayette | 15 | 0 | က | 0 | - | _ | 12 | 0 | ~ | က | 4 | _ | 23 | 01:38 | 01:43 | 05:08 | 08:39 |
| 17 | Lafayette | 7 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | _ | 0 | ~ | 0 | 1 | 01:45 | 01:48 | 04:19 | 08:46 |
| 18 | Clyde | 7 | 0 | 0 | 0 | _ | 0 | 80 | 0 | _ | 4 | 0 | 0 | 4 | 01:54 | 00:48 | 07:42 | 10:05 |
| 19 | Martinez | 0 | 0 | 0 | 0 | 0 | 0 | - | ~ | _ | _ | 0 | 0 | 4 | | | | |
| 21 | Concord | 44 | 0 | 0 | 0 | 0 | 0 | 26 | _ | 9 | 12 | 9 | 0 | 81 | 01:37 | 01:09 | 06:24 | 09:50 |
| 22 | Concord | 22 | 0 | 0 | 0 | 0 | 0 | 28 | 2 | 7 | 7 | 0 | 0 | 44 | 01:29 | 01:46 | 05:13 | 08:25 |
| 69 | El Sobrante | 69 | 0 | 25 | 0 | - | 4 | 26 | 2 | 2 | 20 | - | 10 | 66 | 01:26 | 01:35 | 04:03 | 07:10 |
| 20 | San Pablo | 274 | 0 | 101 | _ | - | 41 | 224 | 18 | 15 | 78 | 12 | 20 | 410 | 01:34 | 01:43 | 05:16 | 08:33 |
| 73 | Pinole | 62 | 0 | 12 | _ | _ | 0 | 22 | ~ | က | 17 | 4 | က | 82 | 01:16 | 01:21 | 02:00 | 07:43 |
| 74 | Pinole | 9 | 0 | 0 | 0 | 0 | 0 | 21 | _ | 5 | က | 9 | 0 | 36 | 01:39 | 01:33 | 04:28 | 07:43 |
| 81 | Antioch | 220 | 0 | 0 | 4 | 4 | . 25 | | _ | 15 | 53 | 16 | 0 | 300 | 01:27 | 01:11 | 04:43 | 07:21 |
| 82 | Antioch | 175 | 0 | 0 | က | _ | 5 | 198 | 9 | 20 | 35 | 9 | က | 277 | 01:30 | 01:25 | 04:51 | 07:53 |
| 83 | Antioch | 175 | 0 | 0 | 0 | _ | _ | 170 | 4 | 10 | 34 | 7 | 0 | 244 | 01:33 | 01:13 | 05:04 | 07:52 |
| 84 | Pittsburg | 98 | 0 | 0 | 0 | 0 | | 72 | _ | 7 | 33 | 9 | 0 | 116 | 01:30 | 01:24 | 90:50 | 08:15 |
| 82 | Pittsburg | 166 | 0 | 0 | 2 | 2 | | 149 | 7 | 6 | 22 | တ | 0 | 247 | 01:30 | 01:23 | 04:57 | 07:54 |
| 98 | Bay Point | 127 | 0 | 0 | - | က | 15 | 124 | 2 | ∞ | 22 | 4 | _ | 183 | 01:29 | 01:16 | 05:20 | 08:13 |
| 87 | Pittsburg | 29 | 0 | 0 | 0 | က | 4 | 26 | - | 9 | 12 | 4 | 0 | 86 | 01:30 | 01:15 | 05:02 | 07:50 |
| 88 | Antioch | 133 | 0 | 0 | 0 | 0 | | 119 | 4 | 6 | 34 | 7 | က | 183 | 01:23 | 01:25 | 05:35 | 08:10 |
| 92 | Brentwood | 238 | 0 | 9 | 2 | 2 | 7 | 250 | 7 | 56 | 71 | 13 | - | 379 | 01:45 | 01:05 | 60:90 | 09:01 |
| 93 | Oakley | 174 | 0 | 0 | _ | _ | 7 | 188 | 0 | 14 | 8 | 17 | 0 | 262 | 01:34 | 01:29 | 05:17 | 08:04 |
| 92 | Bethel Island | 47 | 0 | 0 | 7 | 0 | 2 | 44 | 2 | œ | 80 | 4 | 0 | 70 | 01:31 | 01:35 | 06:17 | 09:19 |
| 66 | Discovery Bay | 63 | 0 | - | 2 | 0 | | 89 | ~ | 0 | 16 | 4 | 0 | 94 | 01:35 | 01:27 | 07:05 | 09:58 |
| CON | | 10 | _ | 12 | 0 | 0 | ~ | ∞ | _ | 0 | 4 | 0 | 2 | 16 | 01:20 | 01:46 | 08:24 | 10:39 |
| **Other | | 101 | 0 | 119 | 7 | 2 | 9 | 20 | _ | - | 20 | 2 | 7 | 119 | 01:05 | 01:00 | 05:37 | 07:44 |
| | | 3729 | - | 292 | 27 | 37 | 213 | 3593 | 106 | 333 | 666 | 259 | 52 | 5619 | | | | |
| i | | | | | ı | | | - | | | ł | 1 | | , | | | (Revised or | (Revised on 06/01/2023) |
| Time caps: Yes | | Processing: 5:00 mins; | :00 min | io. | Inrno | I urnout: 4:00 mins; | mins; | Irav | Travel: 14:00 mins; | mins; | Lota | Total Response: 16:00 mins | se: 16:00 | mins (| | | | |

Aid Provided (8/1/2023 - 8/31/2023)

Unit counts based on Business Rule (ST64, ST70)

| Provider | | | | Jurisdiction | | | |
|----------|---------|------|-------|--------------|-------|---------|-----|
| Provider | CON | CRK | ECR | MOR | RDO | RMD | SRM |
| CDF | 13/15 | 1/1 | 0/0 | 0/0 | 1/1 | 0/0 | 0/0 |
| CON | - | 3/9 | 11/13 | 25/32 | 42/72 | 117/139 | 2/2 |
| CRK | 0/0 | - | 0/0 | 0/0 | 6/8 | 0/0 | 0/0 |
| ECR | 12/15 | 0/0 | - | 5/6 | 0/0 | 41/42 | 0/0 |
| MOR | 18/25 | 1/1 | 0/0 | - | 0/0 | 0/0 | 0/0 |
| RDO | 19/24 | 6/10 | 0/0 | 0/0 - | | 0/0 | 0/0 |
| RMD | 137/180 | 0/0 | 37/48 | 0/0 | 5/7 | - | 0/0 |
| SRM | 1/1 | 0/0 | 0/0 | 1/1 | 0/0 | 0/0 | - |
| TNT | 0/0 | 1/1 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 |

Aid Provided (9/1/2023 -9/30/2023) Unit counts based on Business Rule (ST64, ST70)

| Danielos | | | | Jurisdiction | | | |
|----------|---------|------|-------|--------------|-------|--------|-----|
| Provider | CON | CRK | ECR | MOR | RDO | RMD | SRM |
| CDF | 18/24 | 2/4 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 |
| CON | - | 5/12 | 9/10 | 20/26 | 15/18 | 94/106 | 1/1 |
| CRK | 4/4 | - | 0/0 | 0/0 | 3/5 | 0/0 | 0/0 |
| ECR | 13/13 | 1/1 | - | 2/2 | 1/1 | 45/47 | 0/0 |
| MOR | 17/30 | 0/0 | 0/0 | - | 0/0 | 0/0 | 0/0 |
| RDO | 17/21 | 5/6 | 0/0 | 0/0 | 0/0 - | | 0/0 |
| RMD | 138/180 | 0/0 | 48/54 | 0/0 | 0/0 | • | 0/0 |
| SRM | 1/1 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 | - |
| TNT | 0/0 | 1/1 | 0/0 | 0/0 | 0/0 | 0/0 | 0/0 |

[&]quot;Automatic Aid" - means assistance that is dispatched automatically by a contractual agreement between two fire departments, communities, or fire districts as part of an initial assignment.

Mutual Aid - means assistance that is requested upon arrival at the scene once it is determined that the emergency exceeds the resource availability of the agency with jurisdiction.

| | | | • | | nmary | | | - | | |
|----------|------|----------|----------------------|-------------|--------------|------------------------|--------------|--------------|--------------|--|
| | | JD - Jun | rsonal Hol y Duty | iday | | OPST - St SPEC - St | | | | |
| | | | Absent V | | ay | ML - Milita | ry Leave | | | • |
| | | AL - Adr | ministrativ | e Leave | | LOA - Lea | ve of Abse | ence | | MAN OT-Mandatory OT |
| RANGE | | | 1.5-13 | 015 | 44969.0 | 0-9 | 12389.0 | 14093.0 | 0-18 | |
| AVG C | | | 6.4 | 8.7 | 3.1 | 3.0 | 21.1 | 11.0 | 1.5 | |
| AVG B | | | 5.7 | 3.9 | 10.8 | 5.3 | 25.7 | 22.3 | 2.5 | |
| AVG A | | | 6.5 | 8.4 | 3.6 | 3.6 | 22.1 | 29.4 | 8.0 | |
| AVG D | AILY | | 6.2 | 7.0 | 5.8 | 4.0 | 22.9 | 21.1 | 4.1 | |
| 30 | WED | С | 5.0 | 7.5 | 3.0 | 7.0 | 22.5 | 8.0 | 0.0 | 5.0 OPST, 1.0 PH, 1.0 SPEC |
| 29 | TUE | С | 8.5 | 3.5 | 3.0 | 9.0 | 24.0 | 8.0 | 0.0 | 1.0 AL, 7.0 OPST, 1.0 SPEC |
| 24 | THU | C | 6.0 | 7.5 | 3.0 | 3.5 | 20.0 | 10.5 | 0.0 | 3.5 OPST |
| 23 | WED | C | 7.0 | 5.5 | 3.0 | 3.5 | 19.0 | 8.5 | 0.0 | 1.0 SPEC 3.5 OPST |
| 17 18 | THU | C | 7.5 7.0 | 7.0 10.5 | 3.0 4.0 | 1.0 | 18.5 22.5 | 9.5 12.5 | 0.0 | 1.0 SPEC |
| 12 | SAT | С | 4.5 | 9.0 | 3.0 | 1.0 | 17.5 | 9.5 | 0.0 | 1.0 ML |
| 11 | FRI | С | 9.5 | 8.0 | 2.0 | 2.0 | 21.5 | 12.5 | 0.0 | 1.0 ML, 1.0 SPEC |
| 6 | SUN | С | 3.0 | 13.0 | 4.0 | 0.0 | 20.0 | 12.0 | 5.0 | |
| 5 | SAT | С | 5.5 | 15.0 | 3.0 | 2.0 | 25.5 | 19.0 | 10.0 | 1.0 AL, 1.0 SPEC |
| 28 | MON | В | 3.0 | 3.0 | 10.0 | 8.0 | 24.0 | 17.0 | 0.0 | 2.0 LOA, 4.0 OPST, 2.0 SPEC |
| 27 | SUN | В | 5.0 | 7.0 | 10.0 | 8.0 | 30.0 | 24.0 | 0.0 | 2.0 LOA, 4.0 OPST, 2.0 SPEC |
| 22 | TUE | В | 6.0 | 1.5 | 11.0 | 7.0 | 25.5 | 18.5 | 0.0 | 2.0 LOA, 4.0 OPST, 1.0 SPEC |
| 21 | MON | В | 13.0 | 1.0 | 11.0 | 6.0 | 31.0 | 25.0 | 0.0 | 2.0 LOA, 1.0 ML, 1.5 SPEC 2.0 LOA, 1.0 SPEC, 3.0 OPST |
| 15 16 | WED | B | 10.0 7.5 | 1.5 3.0 | 12.0 12.0 | 4.5 4.5 | 28.0 27.0 | 23.0 22.0 | 0.0 | 2.0 LOA, 1.0 ML, 1.5 SPEC |
| 10 | THU | В | 1.5 | 5.0 | 10.0 | 4.0 | 20.5 | 18.5 | 0.0 | 3.0 LOA, 1.0 ML |
| 9 | WED | В | 4.0 | 4.0 | 10.0 | 4.0 | 22.0 | 21.0 | 0.0 | 3.0 LOA, 1.0 ML |
| 4 | FRI | В | 3.0 | 8.0 | 11.0 | 4.0 | 26.0 | 28.0 | 15.0 | 3.0 LOA, 1.0 ML |
| 3 | THU | В | 4.0 | 5.0 | 11.0 | 3.0 | 23.0 | 25.5 | 10.0 | 2.0 LOA, 1.0 ML |
| 31 | THU | Α | 5.5 | 8.0 | 5.0 | 3.0 | 21.5 | 31.5 | 3.0 | 2.0 LOA, 1.0 OPST |
| 26 | SAT | Α | 6.5 | 15.0 | 4.0 | 7.5 | 33.0 | 38.0 | 17.5 | 1.0 AWOP, 2.0 LOA, 3.5 OPST, 1.0 SP |
| 25 | FRI | Α | 5.0 | 13.5 | 4.0 | 6.5 | 29.0 | 34.5 | 18.0 | 2.0 LOA, 3.5 OPST, 1.0 SPEC |
| 20 | SUN | Α | 6.0 | 7.0 | 3.0 | 5.5 | 21.5 | 28.0 | 0.0 | 1.0 AWOP, 2.0 LOA, 0.5 SPEC, 2.0 OP |
| 19 | SAT | Α | 6.0 | 9.5 | 3.0 | 2.0 | 20.5 | 29.0 | 6.5 | 2.0 LOA |
| 14 | MON | Α | 5.0 | 0.0 | 4.0 | 3.0 | 12.0 | 25.0 | 0.0 | 1.0 AWOP, 2.0 LOA |
| 13 | SUN | A | 9.0 | 7.5 | 3.0 | 2.0 | 21.5 | 28.0 | 5.5 | 2.0 LOA |
| 8 | TUE | A | 6.5 | 6.0 | 3.5 | 2.0 | 18.0 | 24.0 | 0.0 | 2.0 LOA |
| 7 | MON | A | 5.5 11.0 | 11.0 3.5 | 3.5 3.5 | 3.0 2.0 | 23.0 | 30.5 25.5 | 13.5 12.0 | 3.0 LOA 2.0 LOA |
| 2 | TUE | A | 5.5 | 11.0 | 3.5 | 3.0 | 23.0 | 29.0 | 12.0 | 3.0 LOA |
| DATE | DAY | SHIFT | SL | VAC | WC | OTHER | TOTAL | TOTAL OT | | |

| DATE | DAY | SHIFT | SL | VAC | WC | OTHER | TOTAL | TOTAL OT | MAN OT | EXP. OTHER |
|--------|-------|-----------|-------------|------------|------|-------------|-----------|----------|--------|------------------------------------|
| 1 | FRI | Α | 5.0 | 7.0 | 5.0 | 3.0 | 20.0 | 30.0 | 4.0 | 1.0 AWOP, 2.0 LOA |
| 6 | WED | Α | 8.0 | 6.0 | 6.0 | 4.0 | 24.0 | 30.5 | 6.5 | |
| 7 | THU | Α | 3.0 | 9.0 | 5.0 | 3.0 | 20.0 | 28.0 | 0.0 | 2.0 LOA, 1.0 PH |
| 12 | TUE | Α | 8.0 | 3.5 | 3.0 | 3.0 | 17.5 | 24.0 | 0.0 | 2.0 LOA, 1.0 PH |
| 13 | WED | Α | 8.0 | 5.0 | 3.0 | 4.0 | 20.0 | 27.0 | 0.0 | 1.0 AWOP, 2.0 LOA, 1.0 PH |
| 18 | MON | Α | 7.0 | 5.0 | 4.0 | 3.0 | 19.0 | 27.0 | 0.0 | 1.0 AWOP, 2.0 LOA |
| 19 | TUE | Α | 7.0 | 6.0 | 4.0 | 3.0 | 20.0 | 29.5 | 0.0 | 1.0 AWOP, 2.0 LOA |
| 24 | SUN | Α | 10.0 | 11.5 | 4.0 | 3.0 | 28.5 | 31.5 | 17.5 | 2.0 LOA, 1.0 OPST |
| 25 | MON | Α | 10.0 | 6.0 | 4.0 | 3.0 | 23.0 | 27.0 | 0.5 | 2.0 LOA, 1.0 OPST |
| 30 | SAT | Α | 11.0 | 9.5 | 4.0 | 3.0 | 27.5 | 31.5 | 4.5 | 2.0 LOA, 1.0 OPST |
| 2 | SAT | В | 4.5 | 6.0 | 11.0 | 8.0 | 29.5 | 21.0 | 0.0 | 3.0 LOA, 5.0 OPST |
| 3 | SUN | В | 2.0 | 6.5 | 11.0 | 6.5 | 26.0 | 20.5 | 0.0 | 3.0 LOA, 2.5 OPST, 1.0 PH |
| 8 | FRI | В | 5.0 | 3.0 | 11.0 | 4.0 | 23.0 | 20.0 | 0.0 | 3.0 LOA, 1.0 SPEC |
| 9 | SAT | В | 6.0 | 2.0 | 10.0 | 3.0 | 21.0 | 19.0 | 2.0 | 3.0 LOA |
| 14 | THU | В | 6.5 | 6.0 | 10.0 | 5.0 | 27.5 | 23.5 | 0.0 | 3.0 LOA, 2.0 SPEC |
| 15 | FRI | В | 5.0 | 7.5 | 10.0 | 5.0 | 27.5 | 25.5 | 8.0 | 3.0 LOA, 2.0 SPEC |
| 20 | WED | В | 7.0 | 8.0 | 11.0 | 4.0 | 30.0 | 28.0 | 0.0 | 2.0 LOA, 1.0 OPST, 1.0 SPEC |
| 21 | THU | В | 8.0 | 8.0 | 11.0 | 5.0 | 32.0 | 29.0 | 0.0 | 2.0 LOA, 1.0 OPST, 2.0 SPEC |
| 26 | TUE | В | 6.0 | 6.0 | 11.0 | 6.0 | 29.0 | 24.0 | 0.0 | 2.0 LOA, 1.0 OPST, 3.0 SPEC |
| 27 | WED | В | 5.0 | 5.5 | 11.0 | 5.0 | 26.5 | 23.0 | 0.0 | 2.0 LOA, 1.0 OPST, 2.0 SPEC |
| 4 | MON | С | 13.0 | 5.0 | 3.0 | 5.5 | 26.5 | 16.5 | 1.0 | 0.5 JD, 1.0 OPST, 1.0 PH, 3.0 SPEC |
| 5 | TUE | С | 8.0 | 2.0 | 3.0 | 4.0 | 17.0 | 10.0 | 0.0 | 1.0 JD, 3.0 SPEC |
| 10 | SUN | С | 10.5 | 8.0 | 5.0 | 5.0 | 28.5 | 18.5 | 0.0 | 5.0 SPEC |
| 11 | MON | С | 6.0 | 1.5 | 5.0 | 5.0 | 17.5 | 7.5 | 0.0 | 5.0 SPEC |
| 16 | SAT | С | 13.0 | 14.0 | 4.0 | 1.0 | 32.0 | 24.0 | 6.0 | 1.0 SPEC |
| 17 | SUN | С | 10.0 | 16.0 | 4.0 | 1.0 | 31.0 | 23.0 | 11.0 | 1.0 SPEC |
| 22 | FRI | С | 13.0 | 7.0 | 4.0 | 2.0 | 26.0 | 17.0 | 0.0 | 2.0 SPEC |
| 23 | SAT | С | 7.0 | 14.0 | 4.0 | 1.0 | 26.0 | 19.0 | 4.0 | 1.0 SPEC |
| 28 | THU | С | 12.5 | 5.0 | 4.0 | 0.0 | 21.5 | 13.0 | 1.5 | |
| 29 | FRI | С | 11.0 | 10.5 | 4.0 | 0.0 | 25.5 | 18.5 | 0.0 | |
| AVG DA | AII V | | 7.9 | 7.0 | 6.3 | 3.6 | 24.8 | 22.9 | 2.2 | |
| 100 0/ | 7151 | | 1.5 | 7.0 | 0.0 | 3.0 | 27.0 | 22.3 | ۷.۷ | |
| AVG A | | | 7.7 | 6.9 | 4.2 | 3.2 | 22.0 | 28.6 | 3.3 | |
| AVG B | | | 5.5 | 5.9 | 10.7 | 5.2 | 27.2 | 23.4 | 1.0 | |
| AVG C | | | 10.4 | 8.3 | 4.0 | 2.5 | 25.2 | 16.7 | 2.4 | |
| RANGE | | | 2-13 | 1.5-16 | 3-11 | 0-8 | 17-32 | 7.5-31.5 | 0-17.5 | |
| | | AL - Adn | ninistrativ | ve Leave | | LOA - Lea | ve of Abs | ence | | MAN OT-Mandatory OT |
| | | AWOP - | Absent \ | Nithout Pa | ıy | ML - Milita | ry Leave | | | • |
| | | | ating Holi | | | OPST - St | | 1 | | |
| | | JD - Jury | | | | SPEC - S | | | | |
| | | | | | | | | | | |



Walnut Creek Lodge # 1811

Benevolant and Protective Order of Elks

1475 Creekside Drive Walnut Creek, CA 94596-5620 925-935-1811 Lodge BPOE1811@gmail.com

Jacklynn Roenspie, Exalted Ruler

Debbie Dew, Secretary

June 12, 2023

TO: Fire Chief Louis Broschard

RE: Commendation

Dear Chief Broschard,

Walnut Creek's Elks Lodge #1811 would like to commend Captain Jonathan Moore and his crew of Engine One for their response & participation in our 4th annual car show at our lodge in Walnut Creek. The show was a tremendous success and it promoted our community efforts which contribute to our national efforts in drug awareness, assisting disable children, support of our veterans plus many more programs. Our lodge was formed in 1950 and we have been involved in our community since our inception.

Your personnel explained the equipment and answered questions from the public in a very professional manner. Your participation added to the event and will hopefully continue to be a part of our annual car show.

Also, our setting this up with Fire Prevention Specialist Julie Ormerod was easy & very professional.

Please be sure to have a copy of this commendation placed in their personnel files.

Sincerely,

Greg Okerman, Exalted Ruler Walnut Creek Elk's #1811

Sieg Okerman



Walnut Creek Lodge # 1811

Benevolant and Protective Order of Elks

1475 Creekside Drive Walnut Creek, CA 94596-5620 925-935-1811 Lodge BPOE1811@gmail.com

Jacklynn Roenspie, Exalted Ruler

Debbie Dew, Secretary

August 14, 2023

Contra Costa County Fire Protection District Administration Building 4005 Port Chicago Way Concord, CA 94520

Dear Chief Louis Broschard:

Walnut Creek Elks Lodge #1811 would like to thank Captain Jonathan Moore and his crew of Engine One for their response and participation in our 4th Annual Car Show in Walnut Creek. It was a tremendous success, and it helps our community efforts in drug awareness, assisting disabled children and other community issues that we have done since we were formed in our city in 1950. Your personnel explained the equipment and answered questions in a professional manner for many of the public. It was very much appreciated and added to the event. We hope it can be a part of our show in the future.

Also, assisting us was Fire Prevention Specialist Julie Ormerod, who was very professional.

Sincerely,

Exalted Ruler

Jacklynn Roenspie

August 14, 2023

Chief Broschard Contra Costa County Fire 4005 Port Chicago Highway Suite 250 Concord, CA 94520-1180

Dear Chief Broschard,

This letter has been a long time coming. I wanted to express our gratitude to the firefighters at Station 10.

My husband and I regularly need their help, primarily for lift assists. I wish we had family nearby that we could call when it's needed, but we don't. And thankfully, Station 10 has our back. The firefighters are professional, kind, friendly and quick! We've gotten to know Amanda, Scott, Mike, Matt, Casey, Carl, Nathan, and more.

My husband is a former paramedic and hates to call in the middle of the night and interrupt their sleep, we both do. There have even been a couple times that we've needed help twice in a night. And they were there. In fact, we have taken steps to hopefully mitigate their need in the future by making a change they recommended.

We are very grateful for our firefighters. And I truly do not know what we would do without them. I drop off treats periodically to say thank you, but it's not enough. I hope that this letter brings them some official recognition, because they surely deserve it.

With deep gratitude,

CULIANA BOYLE

Juliana Boyle (Jules)



STONEHURST HOMEOWNERS' ASSOCIATION c/o Common Development Management, 1220 Diamond Way, #130, Concord, CA 94520

August 14, 2023

Mr. Lewis Broschard Fire Chief Contra Costa County Fire Protection District 4005 Port Chicago Highway, Suite 250 Concord, CA 94520

Dear Mr. Broschard:

We want to thank the Contra Costa County Fire Protection District for the rapid and successful response on August 3, 2023 to the fire at the Almond Ranch. The Stonehurst Community was very impressed with how rapidly your team responded to this fire and prevented a major disaster in our community.

Thank you again for protecting our properties and public safety.

Stonehurst Homeowners' Association Board of Directors,

Steven Callaway, President

John Goetz, Treasurer

Gwendolyn Buchholz, Secretary

CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT SURPLUS EQUIPMENT

10/2/23

CONDITION:

A= Obsolete B= Worn out

C= Beyond economical repair D= Damaged/wrecked beyond repair

| | | | PAGE 1 OF 1 | | |
|-------------|----------|----------|---|--|-----------|
| | COUNTY # | QUANTITY | DESCRIPTION | ESTIMATED VALUE | CONDITION |
| | N/A | 9 | Cases of expired medical gloves | 0 | ۵ |
| 2. | N/A | 10 | Cases of expired O2-ReQ filters | 0 | ۵ |
| 3. | N/A | 20 | Cases of expired gowns | 0 | ۵ |
| 4. | N/A | 4 | Cases of expired Clean Cide wipes | 0 | < |
| 5. | N/A | 2 | Cases of expired 3M N95's | 0 | ۵ |
| 6. | N/A | 9 | Cases of expired clear face shields | 0 | 8 |
| 7. | N/A | 25 | Cases of expired medical gloves | 0 | ۵ |
| œi | N/A | - | Cases of expired medical face masks | 0 | ۵ |
| 9. | N/A | 114 | Cases of expired MRE's | 0 | ٥ |
| 10. | N/A | _ | T3 Max Bullard Thermal Imager (Serial # is 35570; no asset tag) | 0 | ٥ |
| 1. | N/A | - | T3 Max Bullard Thermal Imager (Serial # is 35307; no asset tag) | 0 | Q |
| 12. | N/A | - | Expired Oxygen bottle | 0 | ٥ |
| 13. | | | | | |
| 14. | | | | | |
| 15. | | | | | |
| 16. | | | | | |
| | | | | The second name of the second na | |



CONTRA COSTA COUNTY FIRE PROTECTION DISTRICT

October 9, 2023

TO: Advisory Fire Commission

FROM: Lewis Broschard, Fire Chief

RE: Fire Chief's Report

Operations Section Update

On August 3rd, Contra Costa Fire units were dispatched to the scene of a residence



in San Pablo for an odor investigation. The benign sounding incident escalated to a major event that resulted in a 3-day mitigation of a hazardous materials scene within a residential neighborhood. Stored in several outbuildings at the home were well over 600 different chemicals from several hazard classes including oxidizers, poisons, and explosives. The danger from the unknown types and quantities required an evacuation order to be applied to the surrounding blocks of homes. Contra Costa OES and the Red Cross opened an evacuation center nearby. A unified

command was established between Con Fire and San Pablo Police Department for the duration of the incident. The Walnut Creek bomb squad played a large role working in conjunction with the Contra Costa County Fire hazardous materials team to identify and catalog the large number of chemicals. Additional assistance was provided by the Alameda County bomb squad, FBI, Contra Costa County Health hazardous materials team, and the State Department of Toxic Substances. Private industry was helpful in providing a remote location where the bomb squads could destroy the more unstable chemicals in a controlled environment. Altogether hundreds of responders cycled through the incident in various capacities. The active phase of the incident continued for three days and the total mitigation lasted several more. Most residents were allowed back into their homes by the end of the second day. A return to normal was achieved after a state contracted remediation firm removed and properly disposed of the remaining chemicals that were deemed stable to be left in the residence by the emergency responders.

In the early morning hours of August 12 Contra Costa County Fire responded to the report of a commercial structure fire in Pittsburg. The crews arrived on scene within five minutes to find heavy smoke from a 3 story commercial building. Due to the size of the building and fire conditions, a second alarm was called by the initial arriving companies. The affected building was a large movie theater that was built in 1936. It has undergone many alterations to occupancy type over the years. Crews identified the building as abandoned, but initiated a fire attack and search to ensure that no one was inside the building. While crews were inside the building. the smoke and fire conditions changed rapidly and crews were removed from the building. Due to heavy fire, pressurized smoke conditions, and the deep seated nature of the fire, operations were changed from offensive (interior) to defensive (exterior). Two additional alarms of resources were ordered due to workload and water supply issues. The fire was also producing large fire brands and embers that were being sent into the surrounding neighborhood. The fourth alarm units were used to patrol the neighborhood to ensure that no other structures were impacted by the embers. The defensive fire operations were complicated by low water pressure due to the large volume of water being used. Contra Costa Fire worked with City of Pittsburg Water to increase the hydrant pressure in the area. The City of Pittsburg also assisted with police for traffic control and Building Department personnel. No other structures were damaged and there were no injuries reported.



Training and Safety Division.

- The division completed the Fire District's quarterly training on intentional mass casualty incidents (IMCI). All fire companies and chief officers received refresher training on interacting with allied police agencies and procedures to operate in an active shooter environment. Our responders are trained and equipped to enter into warm zones with police escort in order to triage and extricate victims from active shooter scenarios. Our Captains and Chief Officers are trained to work collaboratively in a command environment with law enforcement to efficiently direct removing and transporting victims to definitive care.
- The division released recommendations on roadway safety mitigations for our responders during freeway incidents. These recommendations from our internal safety committee will be evaluated by senior staff for future implementation. We have had 11 significant freeway accidents involving responders at the scene of motor vehicle accidents in eight years. The results of these intrusions into our emergency scenes include injuries to responders, extensive damage to our equipment, and sadly the loss of life for at least two citizens involved in these collisions. This is a national issue that has been difficult to find a comprehensive set of solutions to reduce these types of instances.

Emergency Medical Services (EMS) Division

The EMS division continues to work towards completion of our tiered ambulance response project. We are planning to be operational September 19th. The impact of implementing this program will help to decompress the emergency ambulance transport system by matching the correct level of care to the reported medical issue. With ambulance patient offload times (APOT) at hospitals, paramedic staffing shortages, and an overall increase in the number of transports and 911 incidents all affecting system demand and response times, this tiered response will increase ambulance transport capacity throughout the system as one means to improve response times and service delivery.

Advanced Planning Section Update

Fire Prevention Bureau

We were notified in August that Con Fire was awarded the Fire Prevention and Safety Grant through the Department of Homeland Security / FEMA. The amount of this award is \$420,111 with a 5% match of \$20,005. The grant funded program will implement the E-Key system into our Knox Key Program to eliminate the many Knox master keys that we have inherited from generations of consolidations and annexations. The transition will consist of installing secure key holders in all fire engines, ladder trucks, and other primary response vehicles. The grant will allow existing Knox Boxes on commercial businesses to have the old key core swapped out to the new E-Core to facilitate the changeover to the new system. There are 585 boxes that will be upgraded by this grant.

- The CEQA consultant continues to perform the necessary environmental studies for the Lafayette/Walnut Creek Shaded Fuel Break. An information guide and timeline was also created to inform the stakeholders of the current status and next steps.
- In August, two Fire Inspector I positions were filled. Currently all Fire Inspector positions are filled and there are no vacancies.
- The grant reports for the California Fire Safe Council County Coordinator were submitted prior to the deadline to remain in good standing with the program.

Public Information (PIO)

• An active recruitment is underway with interviews scheduled in mid-September to fill the vacancy created by our recent PIO retirement.

Administration Section Update

Communications Division

- The Fire Communications Manager position has been filled by Judy Woo
 who comes to the district with a strong background in public safety
 dispatch. Judy has already made a positive impact in her role as the new
 Fire Communications Manager.
- Three new Fire Dispatchers have been hired and just completed their fourth week of classroom based training. In the next few weeks, they will transition to their floor based training sessions prior to being fully released to serve as independent Fire Dispatchers. All of these individuals come to the district with extensive experience and we are pleased to have them join our team.
- The Communications Division leadership team continues to work with COAR Architects on the pending remodel of the communication center and future communication division offices all located at 2010 Geary Road in Pleasant Hill. The 90% design set plans have been submitted to the City of Pleasant Hill for plan review. The project was approved by the City's Architectural Review Committee and Planning Commission with some adjustments and we are awaiting final approvals from Pleasant Hill. Next steps include release of an RFP for construction and eventual award of a contract in coordination with County Capital Projects. The district hopes to begin construction in early 2024 with completion by August of 2025. The division is currently working on tentative plans for the relocation of numerous staff and associated equipment during the construction project.

- The Information Technology team and the District's IT contractor continue to work on several major projects, one of which is to provide for a standalone network that is supported 365 days a year 24 hours a day. The Information Technology team will be working with district and County DoIT leadership to review the recommended system design, estimated costs and implementation plan.
- Another major initiative of the division is to rebuild the current Central Square computer aided dispatch (CAD) system that was originally implemented in 2006. This major project will be time intensive and expensive, but it is critically important to our future dispatch process and emergency operations.
- Assistant Chief Peter recently deployed for 17 days to the devastating fires in Maui as a Liaison Officer on the Blue Incident Support Team (IST) for FEMA's National Urban Search and Rescue (US&R) System to help lead and coordinate the human remains search efforts. Chief Peter and the IST worked directly for the Maui Police Department on this disaster. The response included forty human remains detection dogs and five task forces from the National US&R System from throughout the Country.

Support Services Division

- The Fire District is exploring EV charging equipment for use at some stations and our Fire Training Facility. We have had site visits and are getting proposals from vendors. This will allow the District to charge electric vehicles as well as allowing for employees to purchase a charge while at work for their personal vehicle.
- One new ladder truck has arrived at our shop and is currently undergoing
 equipment mounting. The process should be complete by the end of
 September and this new ladder truck can be placed in service. This will provide
 much needed relief while Truck 1, the ladder truck struck by a Tesla in midFebruary, gets repaired in Wisconsin.
- The District is acquiring another portable generator using grant funds to support operations in the event of a large-scale power outage.
- A number of replacement Battalion Chiefs vehicles have arrived. They are getting graphics and radios installed. There is finally some improvement in the truck and SUV market as the last few years have been difficult for us to obtain vehicles in a timely manner.
- The District is currently working to convert old fire station 86 in Bay Point to a Support facility. We are working toward installing multiple industrial washers in order to clean and return firefighters' personal protective equipment in a timely manner. We know clean gear removes toxins that infuse into our gear during incidents, especially during interior firefighting. This initiative is consistent with our cancer prevention efforts.

Fire Stations / Facilities Construction

• <u>Fire Station 90</u>. Surveying is complete. City of Brentwood Planning has provided some comments as to the design elements and we are presently incorporating as much as possible. This station remains on track as capable of supporting two fire companies. Early construction estimates continue to show climbing costs in the construction market. The goal remains to put this station out to bid later this fall with Fire Station 94.

